


AMENDMENTS TO THE CLAIMS:

Please change the heading at page 150, line 1, from "Patent Claims" to  
--WHAT IS CLAIMED IS:--

The following listing of claims will replace all prior versions of claims in the application.

Claims 1-21 (canceled)

-- Claim 22 (new): A compound of formula (I),



in which

- (a) W represents alkyl or alkoxy,  
X represents halogen, alkyl, alkoxy, haloalkyl, haloalkoxy, or cyano,  
Y is in the 4-position and represents hydrogen, halogen, cyano, or haloalkyl, and  
Z represents hydrogen,

or

- (b) W represents hydrogen, halogen, or alkyl,  
X represents halogen, alkyl, alkoxy, haloalkyl, haloalkoxy, or cyano,  
Y is in the 4-position and represents optionally substituted phenyl, and  
Z represents hydrogen,

or


- (c) W represents hydrogen or alkyl,  
X represents halogen, alkyl, alkoxy, haloalkyl, haloalkoxy, or cyano,  
Y is in the 5-position and represents optionally substituted phenyl, and  
Z is in the 4-position and represents hydrogen, alkyl, or halogen,

or

- (d) W represents hydrogen, methyl, propyl, isopropyl, or halogen,  
 X represents halogen, alkyl, alkoxy, haloalkyl, haloalkoxy, or cyano,  
 Y is in the 3- or 5-position and represents hydrogen, halogen or alkyl, and  
 Z is in the 4-position and represents hydrogen, halogen, alkyl, haloalkyl, cyano, or haloalkoxy,

and

- A represents an optionally substituted alkanediyl group; or represents cycloalkyl that is optionally substituted and/or optionally interrupted by a heteroatom,  
 B represents optionally substituted alkenyl, alkoxy, alkoxyalkoxy, phenyl, or hetaryl; or represents cycloalkyl that is optionally substituted and/or optionally interrupted by one or more heteroatoms and/or C=O,  
 D represents NH or oxygen, and  
 G represents hydrogen (a) or represents one of the groups



where

- E represents a metal ion or an ammonium ion,  
 L represents oxygen or sulphur,  
 M represents oxygen or sulphur,  
 R<sup>1</sup> represents optionally halogen- or cyano-substituted alkyl, alkenyl, alkoxyalkyl, alkylthioalkyl, or polyalkoxyalkyl; or represents optionally halogen-, alkyl-, or alkoxy-substituted cycloalkyl or heterocyclyl; or represents optionally substituted phenyl, phenylalkyl, hetaryl, phenoxyalkyl, or hetaryloxyalkyl,  
 R<sup>2</sup> represents optionally halogen- or cyano-substituted alkyl, alkenyl, alkoxyalkyl, or polyalkoxyalkyl; or represents optionally substituted cycloalkyl, phenyl, or benzyl,

R<sup>3</sup>, R<sup>4</sup>, and R<sup>5</sup> independently of one another represent optionally halogen-substituted alkyl, alkoxy, alkylamino, dialkylamino, alkylthio, alkenylthio, or cycloalkylthio; or represent optionally substituted phenyl, benzyl, phenoxy, or phenylthio,


R<sup>6</sup> and R<sup>7</sup> independently of one another represent hydrogen; represent optionally halogen- or cyano-substituted alkyl, cycloalkyl, alkenyl, alkoxy, or alkoxyalkyl; or represents optionally substituted phenyl or benzyl; or R<sup>6</sup> and R<sup>7</sup> together with the N atom to which they are attached form a cycle that optionally contains oxygen or sulphur and is optionally substituted.

Claim 23 (new): A compound of formula (I) according to Claim 22 in which

- (a) W represents C<sub>1</sub>-C<sub>6</sub>-alkyl or C<sub>1</sub>-C<sub>6</sub>-alkoxy,  
 X represents halogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy, or cyano,  
 Y is in the 4-position and represents hydrogen, halogen, cyano, or C<sub>1</sub>-C<sub>4</sub>-haloalkyl, and  
 Z represents hydrogen,

or

- (b) W represents hydrogen, halogen, or C<sub>1</sub>-C<sub>6</sub>-alkyl,  
 X represents halogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy, or cyano,  
 Y is in the 4-position and represents the radical




- Z represents hydrogen, and  
 V<sup>1</sup> represents halogen, C<sub>1</sub>-C<sub>12</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, or C<sub>1</sub>-C<sub>4</sub>-haloalkoxy, and  
 V<sup>2</sup> represents hydrogen, halogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, or C<sub>1</sub>-C<sub>4</sub>-haloalkyl, or

V<sup>1</sup> and V<sup>2</sup> together represent C<sub>3</sub>-C<sub>4</sub>-alkanediyl that is optionally substituted by halogen and/or C<sub>1</sub>-C<sub>2</sub>-alkyl and is optionally interrupted by one or two oxygen atoms,

or

- (c) W represents hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl,  
X represents halogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy, or cyano,  
Y is in the 5-position and represents the radical



Z is in the 4-position and represents hydrogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, or halogen, and

V<sup>1</sup> represents halogen, C<sub>1</sub>-C<sub>12</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, or C<sub>1</sub>-C<sub>4</sub>-haloalkoxy, and

V<sup>2</sup> represents hydrogen, halogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, or C<sub>1</sub>-C<sub>4</sub>-haloalkyl, or


V<sup>1</sup> and V<sup>2</sup> together represent C<sub>3</sub>-C<sub>4</sub>-alkanediyl that is optionally substituted by halogen and/or C<sub>1</sub>-C<sub>2</sub>-alkyl and is optionally interrupted by one or two oxygen atoms,

or

- (d) W represents hydrogen, methyl, propyl, isopropyl, or halogen,  
X moreover represents halogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy, or cyano,  
Y is in the 3- or 5-position and represents hydrogen, halogen, or C<sub>1</sub>-C<sub>6</sub>-alkyl, and  
Z is in the 4-position and represents hydrogen, halogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, cyano, or C<sub>1</sub>-C<sub>4</sub>-haloalkoxy,

and

- A represents an optionally C<sub>1</sub>-C<sub>4</sub>-alkyl-substituted C<sub>1</sub>-C<sub>4</sub>-alkanediyl group; or represents optionally C<sub>1</sub>-C<sub>4</sub>-alkyl-substituted C<sub>5</sub>-C<sub>8</sub>-cycloalkyl in which one methylene group is optionally replaced by oxygen,
- B represents optionally halogen-substituted C<sub>2</sub>-C<sub>8</sub>-alkenyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, or C<sub>1</sub>-C<sub>6</sub>-alkoxy-C<sub>1</sub>-C<sub>4</sub>-alkyloxy; represents optionally halogen-, C<sub>1</sub>-C<sub>6</sub>-alkyl-, C<sub>1</sub>-C<sub>6</sub>-alkoxy-, C<sub>1</sub>-C<sub>4</sub>-haloalkyl-, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy-, cyano-, or nitro-substituted phenyl; represents optionally halogen-, C<sub>1</sub>-C<sub>4</sub>-alkyl-, or C<sub>1</sub>-C<sub>2</sub>-haloalkyl-substituted pyridyl, pyrimidyl, thiazolyl, or thienyl; or represents optionally halogen-, C<sub>1</sub>-C<sub>4</sub>-alkyl-, C<sub>1</sub>-C<sub>4</sub>-alkoxy- or C<sub>1</sub>-C<sub>2</sub>-haloalkyl-substituted C<sub>3</sub>-C<sub>8</sub>-cycloalkyl in which one or two methylene groups that are not directly adjacent are optionally replaced by oxygen or three methylene groups are optionally replaced by the radical -O-CO-O-,
- D represents NH or oxygen, and
- G represents hydrogen (a) or represents one of the groups



in which

- E represents a metal ion or an ammonium ion,
- L represents oxygen or sulphur,
- M represents oxygen or sulphur,
- R<sup>1</sup> represents optionally halogen- or cyano-substituted C<sub>1</sub>-C<sub>20</sub>-alkyl, C<sub>2</sub>-C<sub>20</sub>-alkenyl, C<sub>1</sub>-C<sub>8</sub>-alkoxy-C<sub>1</sub>-C<sub>8</sub>-alkyl, C<sub>1</sub>-C<sub>8</sub>-alkylthio-C<sub>1</sub>-C<sub>8</sub>-alkyl, or poly-C<sub>1</sub>-C<sub>8</sub>-alkoxy-C<sub>1</sub>-C<sub>8</sub>-alkyl; or represents optionally halogen-, C<sub>1</sub>-C<sub>6</sub>-alkyl-, or C<sub>1</sub>-C<sub>6</sub>-alkoxy-substituted C<sub>3</sub>-C<sub>8</sub>-cycloalkyl in which one or two methylene groups that are not directly adjacent are optionally replaced by oxygen and/or sulphur; represents optionally halogen-, cyano-, nitro-, C<sub>1</sub>-C<sub>6</sub>-alkyl-, C<sub>1</sub>-C<sub>6</sub>-alkoxy-, C<sub>1</sub>-C<sub>6</sub>-halo-

alkyl-, C<sub>1</sub>-C<sub>6</sub>-haloalkoxy-, C<sub>1</sub>-C<sub>6</sub>-alkylthio-, or C<sub>1</sub>-C<sub>6</sub>-alkylsulphonyl-substituted phenyl; represents optionally halogen-, nitro-, cyano-, C<sub>1</sub>-C<sub>6</sub>-alkyl-, C<sub>1</sub>-C<sub>6</sub>-alkoxy-, C<sub>1</sub>-C<sub>6</sub>-haloalkyl-, or C<sub>1</sub>-C<sub>6</sub>-haloalkoxy-substituted phenyl-C<sub>1</sub>-C<sub>6</sub>-alkyl; represents optionally halogen- or C<sub>1</sub>-C<sub>6</sub>-alkyl-substituted 5- or 6-membered hetaryl having one or two heteroatoms selected from the group consisting of oxygen, sulphur, and nitrogen; represents optionally halogen- or C<sub>1</sub>-C<sub>6</sub>-alkyl-substituted phenoxy-C<sub>1</sub>-C<sub>6</sub>-alkyl; or represents optionally halogen-, amino-, or C<sub>1</sub>-C<sub>6</sub>-alkyl-substituted 5- or 6-membered hetaryloxy-C<sub>1</sub>-C<sub>6</sub>-alkyl having one or two heteroatoms selected from the group consisting of oxygen, sulphur, and nitrogen,

R<sup>2</sup> represents optionally halogen- or cyano-substituted C<sub>1</sub>-C<sub>20</sub>-alkyl, C<sub>2</sub>-C<sub>20</sub>-alkenyl, C<sub>1</sub>-C<sub>8</sub>-alkoxy-C<sub>2</sub>-C<sub>8</sub>-alkyl, or poly-C<sub>1</sub>-C<sub>8</sub>-alkoxy-C<sub>2</sub>-C<sub>8</sub>-alkyl; represents optionally halogen-, C<sub>1</sub>-C<sub>6</sub>-alkyl-, or C<sub>1</sub>-C<sub>6</sub>-alkoxy-substituted C<sub>3</sub>-C<sub>8</sub>-cycloalkyl; or represents optionally halogen-, cyano-, nitro-, C<sub>1</sub>-C<sub>6</sub>-alkyl-, C<sub>1</sub>-C<sub>6</sub>-alkoxy-, C<sub>1</sub>-C<sub>6</sub>-haloalkyl-, or C<sub>1</sub>-C<sub>6</sub>-haloalkoxy-substituted phenyl or benzyl,

R<sup>3</sup> represents optionally halogen-substituted C<sub>1</sub>-C<sub>8</sub>-alkyl or in each case optionally halogen-, C<sub>1</sub>-C<sub>6</sub>-alkyl-, C<sub>1</sub>-C<sub>6</sub>-alkoxy-, C<sub>1</sub>-C<sub>4</sub>-haloalkyl-, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy-, cyano- or nitro-substituted phenyl or benzyl,

R<sup>4</sup> and R<sup>5</sup> independently of one another represent optionally halogen-substituted C<sub>1</sub>-C<sub>8</sub>-alkyl, C<sub>1</sub>-C<sub>8</sub>-alkoxy, C<sub>1</sub>-C<sub>8</sub>-alkylamino, di(C<sub>1</sub>-C<sub>8</sub>-alkyl)amino, C<sub>1</sub>-C<sub>8</sub>-alkylthio, or C<sub>3</sub>-C<sub>8</sub>-alkenylthio; or represent optionally halogen-, nitro-, cyano-, C<sub>1</sub>-C<sub>4</sub>-alkoxy-, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy-, C<sub>1</sub>-C<sub>4</sub>-alkylthio-, C<sub>1</sub>-C<sub>4</sub>-haloalkylthio-, C<sub>1</sub>-C<sub>4</sub>-alkyl-, or C<sub>1</sub>-C<sub>4</sub>-haloalkyl-substituted phenyl, phenoxy, or phenylthio, and

R<sup>6</sup> and R<sup>7</sup> independently of one another represent hydrogen; represent optionally halogen- or cyano-substituted C<sub>1</sub>-C<sub>8</sub>-alkyl, C<sub>3</sub>-C<sub>8</sub>-cycloalkyl, C<sub>1</sub>-C<sub>8</sub>-alkoxy, C<sub>3</sub>-C<sub>8</sub>-alkenyl, or C<sub>1</sub>-C<sub>8</sub>-alkoxy-C<sub>2</sub>-C<sub>8</sub>-alkyl; represent


optionally halogen-, C<sub>1</sub>-C<sub>8</sub>-alkyl, C<sub>1</sub>-C<sub>8</sub>-haloalkyl-, or C<sub>1</sub>-C<sub>8</sub>-alkoxy-substituted phenyl or benzyl; or R<sup>6</sup> and R<sup>7</sup> together represent an optionally C<sub>1</sub>-C<sub>6</sub>-alkyl-substituted C<sub>3</sub>-C<sub>6</sub>-alkylene radical in which one methylene group is optionally replaced by oxygen or sulphur.

Claim 24 (new): A compound of formula (I) according to Claim 22 in which

- (a) W represents C<sub>1</sub>-C<sub>4</sub>-alkyl or C<sub>1</sub>-C<sub>4</sub>-alkoxy,  
 X represents chlorine, bromine, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>1</sub>-C<sub>2</sub>-haloalkyl, C<sub>1</sub>-C<sub>2</sub>-haloalkoxy, or cyano,  
 Y is in the 4-position and represents hydrogen, chlorine, bromine, cyano, or trifluoromethyl, and  
 Z represents hydrogen,

or

- (b) W represents hydrogen, chlorine, bromine, or C<sub>1</sub>-C<sub>4</sub>-alkyl,  
 X represents chlorine, bromine, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>1</sub>-C<sub>2</sub>-haloalkyl, C<sub>1</sub>-C<sub>2</sub>-haloalkoxy, or cyano,  
 Y is in the 4-position and represents the radical




- Z represents hydrogen, and  
 V<sup>1</sup> represents fluorine, chlorine, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>1</sub>-C<sub>2</sub>-haloalkyl, or C<sub>1</sub>-C<sub>2</sub>-haloalkoxy, and  
 V<sup>2</sup> represents hydrogen, fluorine, chlorine, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, or C<sub>1</sub>-C<sub>2</sub>-haloalkyl, or  
 V<sup>1</sup> and V<sup>2</sup> together represent -O-CH<sub>2</sub>-O- and -O-CF<sub>2</sub>-O-,

or

- (c) W represents hydrogen or C<sub>1</sub>-C<sub>4</sub>-alkyl,  
 X represents chlorine, C<sub>1</sub>-C<sub>4</sub>-alkyl, or C<sub>1</sub>-C<sub>2</sub>-haloalkyl,

Y is in the 5-position and represents the radical



Z is in the 4-position and represents hydrogen, C<sub>1</sub>-C<sub>4</sub>-alkyl, or chlorine, and

V<sup>1</sup> represents fluorine, chlorine, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>1</sub>-C<sub>2</sub>-haloalkyl, or C<sub>1</sub>-C<sub>2</sub>-haloalkoxy, and

V<sup>2</sup> represents hydrogen, fluorine, chlorine, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, or C<sub>1</sub>-C<sub>2</sub>-haloalkyl, or

V<sup>1</sup> and V<sup>2</sup> together represent -O-CH<sub>2</sub>-O- or -O-CF<sub>2</sub>-O-,

or

(d) W represents hydrogen, methyl, chlorine, or bromine,

X represents chlorine, bromine, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>1</sub>-C<sub>2</sub>-haloalkyl, C<sub>1</sub>-C<sub>2</sub>-haloalkoxy, or cyano,

Y is in the 3- or 5-position and represents hydrogen, chlorine, bromine, or C<sub>1</sub>-C<sub>4</sub>-alkyl, and

Z is in the 4-position and represents hydrogen, chlorine, bromine, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>2</sub>-haloalkyl, cyano, or C<sub>1</sub>-C<sub>2</sub>-haloalkoxy,

and

A represents an optionally C<sub>1</sub>-C<sub>2</sub>-alkyl-substituted C<sub>1</sub>-C<sub>3</sub>-alkanediyl group; or represents C<sub>5</sub>-C<sub>6</sub>-cycloalkyl in which a methylene group is optionally replaced by oxygen,


B represents C<sub>2</sub>-C<sub>6</sub>-alkenyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, or C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>1</sub>-C<sub>3</sub>-alkyloxy, each of which is optionally mono- to trisubstituted by fluorine or chlorine; represents phenyl that is optionally mono- to trisubstituted by fluorine, chlorine, bromine, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>1</sub>-C<sub>2</sub>-haloalkyl, C<sub>1</sub>-C<sub>2</sub>-haloalkoxy, cyano, or nitro; represents pyridyl, pyrimidyl, thiazolyl, or thienyl, each of which is optionally mono- or disubstituted by fluorine, chlorine, bromine, methyl, ethyl, or trifluoromethyl; or represents C<sub>3</sub>-C<sub>6</sub>-cycloalkyl that is optionally mono- or disubstituted by fluorine, chlorine, methyl, methoxy, or trifluoromethyl and in



which one methylene group is optionally replaced by oxygen or three methylene groups are optionally replaced by the radical -O-CO-O-,

D represents NH, and

G represents hydrogen (a) or represents one of the groups



in which

E represents a metal ion or an ammonium ion,

L represents oxygen or sulphur,

M represents oxygen or sulphur,


R<sup>1</sup> represents C<sub>1</sub>-C<sub>16</sub>-alkyl, C<sub>2</sub>-C<sub>16</sub>-alkenyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy-C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkylthio-C<sub>1</sub>-C<sub>4</sub>-alkyl, or poly-C<sub>1</sub>-C<sub>6</sub>-alkoxy-C<sub>1</sub>-C<sub>4</sub>-alkyl, each of which is optionally mono- to trisubstituted by fluorine or chlorine; or represents C<sub>3</sub>-C<sub>7</sub>-cycloalkyl that is optionally mono- or disubstituted by fluorine, chlorine, C<sub>1</sub>-C<sub>5</sub>-alkyl, or C<sub>1</sub>-C<sub>5</sub>-alkoxy and in which one or two methylene groups that are not directly adjacent are optionally replaced by oxygen and/or sulphur; represents phenyl that is optionally mono- to trisubstituted by fluorine, chlorine, bromine, cyano, nitro, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>1</sub>-C<sub>3</sub>-haloalkyl, C<sub>1</sub>-C<sub>3</sub>-haloalkoxy, C<sub>1</sub>-C<sub>4</sub>-alkylthio, or C<sub>1</sub>-C<sub>4</sub>-alkylsulphonyl; represents phenyl-C<sub>1</sub>-C<sub>4</sub>-alkyl that is optionally mono- or disubstituted by fluorine, chlorine, bromine, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>1</sub>-C<sub>3</sub>-haloalkyl, or C<sub>1</sub>-C<sub>3</sub>-haloalkoxy; represents pyrazolyl, thiazolyl, pyridyl, pyrimidyl, furanyl, or thienyl, each of which is optionally mono- or disubstituted by fluorine, chlorine, bromine, or C<sub>1</sub>-C<sub>4</sub>-alkyl; represents phenoxy-C<sub>1</sub>-C<sub>5</sub>-alkyl that is optionally mono- or disubstituted by fluorine, chlorine, bromine, or C<sub>1</sub>-C<sub>4</sub>-alkyl; or represents pyridyloxy-C<sub>1</sub>-C<sub>5</sub>-alkyl, pyrimidyloxy-C<sub>1</sub>-C<sub>5</sub>-

- alkyl, or thiazolyloxy-C<sub>1</sub>-C<sub>5</sub>-alkyl, each of which is optionally mono- or disubstituted by fluorine, chlorine, bromine, amino, or C<sub>1</sub>-C<sub>4</sub>-alkyl,
- R<sup>2</sup> represents C<sub>1</sub>-C<sub>16</sub>-alkyl, C<sub>2</sub>-C<sub>16</sub>-alkenyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy-C<sub>2</sub>-C<sub>6</sub>-alkyl, or poly-C<sub>1</sub>-C<sub>6</sub>-alkoxy-C<sub>2</sub>-C<sub>6</sub>-alkyl, each of which is optionally mono- to trisubstituted by fluorine or chlorine; represents C<sub>3</sub>-C<sub>7</sub>-cycloalkyl that is optionally mono- or disubstituted by fluorine, chlorine, C<sub>1</sub>-C<sub>4</sub>-alkyl, or C<sub>1</sub>-C<sub>4</sub>-alkoxy; or represents phenyl or benzyl, each of which is optionally mono- to trisubstituted by fluorine, chlorine, bromine, cyano, nitro, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>3</sub>-alkoxy, C<sub>1</sub>-C<sub>3</sub>-haloalkyl, or C<sub>1</sub>-C<sub>3</sub>-haloalkoxy,
- R<sup>3</sup> represents C<sub>1</sub>-C<sub>6</sub>-alkyl that is optionally mono- to trisubstituted by fluorine or chlorine; or represents phenyl or benzyl, each of which is optionally mono- or disubstituted by fluorine, chlorine, bromine, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>1</sub>-C<sub>2</sub>-haloalkoxy, C<sub>1</sub>-C<sub>2</sub>-haloalkyl, cyano, or nitro,
- R<sup>4</sup> and R<sup>5</sup> independently of one another represent C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>6</sub>-alkylamino, di(C<sub>1</sub>-C<sub>6</sub>-alkyl)amino, C<sub>1</sub>-C<sub>6</sub>-alkylthio, or C<sub>3</sub>-C<sub>4</sub>-alkenylthio, each of which is optionally mono- to trisubstituted by fluorine or chlorine; or represents phenyl, phenoxy or phenylthio, each of which is optionally mono- or disubstituted by fluorine, chlorine, bromine, nitro, cyano, C<sub>1</sub>-C<sub>3</sub>-alkoxy, C<sub>1</sub>-C<sub>3</sub>-haloalkoxy, C<sub>1</sub>-C<sub>3</sub>-alkylthio, C<sub>1</sub>-C<sub>3</sub>-haloalkylthio, C<sub>1</sub>-C<sub>3</sub>-alkyl, or C<sub>1</sub>-C<sub>3</sub>-haloalkyl, and
- R<sup>6</sup> and R<sup>7</sup> independently of one another represent hydrogen; represent C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>3</sub>-C<sub>6</sub>-cycloalkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>3</sub>-C<sub>6</sub>-alkenyl, or C<sub>1</sub>-C<sub>6</sub>-alkoxy-C<sub>2</sub>-C<sub>6</sub>-alkyl, each of which is optionally mono- to trisubstituted by fluorine or chlorine; represent phenyl or benzyl, each of which is optionally mono- to trisubstituted by fluorine, chlorine, bromine, C<sub>1</sub>-C<sub>5</sub>-haloalkyl, C<sub>1</sub>-C<sub>5</sub>-alkyl, or C<sub>1</sub>-C<sub>5</sub>-alkoxy; or R<sup>6</sup> and R<sup>7</sup> together represent a C<sub>3</sub>-C<sub>6</sub>-alkylene radical that is optionally

substituted by C<sub>1</sub>-C<sub>4</sub>-alkyl and in which one methylene group is optionally replaced by oxygen or sulphur.

Claim 25 (new): A compound of formula (I) according to Claim 22 in which


- (a) W represents ethyl or methoxy,  
X represents chlorine, bromine, methyl, ethyl, propyl, methoxy, trifluoromethyl, difluoromethoxy, trifluoroethoxy, or cyano,  
Y is in the 4-position and represents hydrogen, chlorine, or bromine, and  
Z represents hydrogen,
- (b) W represents hydrogen, chlorine, bromine, or methyl,  
X represents chlorine, bromine, methyl, ethyl, propyl, methoxy, trifluoromethyl, difluoromethoxy, or cyano,  
Y is in the 4-position and represents the radical



- Z also represents hydrogen,  
V<sup>1</sup> represents fluorine, chlorine, methyl, methoxy, trifluoromethyl, or trifluoromethoxy, and  
V<sup>2</sup> represents hydrogen, fluorine, chlorine, methyl, methoxy, or trifluoromethyl,

or

- (c) W represents hydrogen or methyl,  
X represents chlorine, methyl, or trifluoromethyl,  
Y is in the 5-position and represents the radical




- Z is in the 4-position and represents hydrogen or methyl,  
V<sup>1</sup> represents fluorine, chlorine, methyl, methoxy, trifluoromethyl, or trifluoromethoxy, and  
V<sup>2</sup> represents hydrogen, fluorine, chlorine, methyl, methoxy, or trifluoromethyl,

or

- (d) W represents hydrogen, methyl, chlorine, or bromine,  
X represents chlorine, bromine, methyl, ethyl, propyl, methoxy, trifluoromethyl, difluoromethoxy, trifluoroethoxy, or cyano,  
Y is in the 3- or 5-position and represents hydrogen, chlorine, bromine, or methyl, and  
Z is in the 4-position and represents hydrogen, chlorine, bromine, methyl, trifluoromethyl, or trifluoromethoxy,

and

- A represents  $-\text{CH}_2-$ ,  $-\text{CHCH}_3-$ ,  $-\text{CH}_2\text{CH}_2-$ , or  $-\text{CH}_2\text{CH}_2\text{CH}_2-$ ,  
B represents  $\text{C}_2\text{-C}_4$ -alkenyl, methoxy, ethoxy, propoxy, isopropoxy, butoxy, or isobutoxy; represents phenyl that is optionally mono- or disubstituted by fluorine, chlorine, bromine, methyl, methoxy, trifluoromethyl, trifluoromethoxy, cyano, or nitro; represents cyclopropyl; represents cyclopentyl or cyclohexyl in which one methylene group is optionally replaced by oxygen,  
D represents NH, and  
G represents hydrogen (a) or represents one of the groups



in which


- E represents a metal ion or an ammonium ion,  
L represents oxygen or sulphur,  
M represents oxygen or sulphur,  
 $\text{R}^1$  represents  $\text{C}_1\text{-C}_{10}$ -alkyl,  $\text{C}_2\text{-C}_{10}$ -alkenyl,  $\text{C}_1\text{-C}_4$ -alkoxy- $\text{C}_1\text{-C}_2$ -alkyl, or  $\text{C}_1\text{-C}_4$ -alkylthio- $\text{C}_1\text{-C}_2$ -alkyl, each of which is optionally mono- to trisubstituted by fluorine or chlorine; or represents  $\text{C}_3\text{-C}_6$ -cycloalkyl that is optionally monosubstituted by fluorine, chlorine, methyl, ethyl, or methoxy; represents phenyl that is optionally mono- or disubstituted by fluorine, chlorine, bromine, cyano, nitro, methyl, ethyl, n-propyl,

- i-propyl, methoxy, ethoxy, trifluoromethyl, or trifluoromethoxy; or represents furanyl, thienyl, or pyridyl, each of which is optionally monosubstituted by chlorine, bromine, or methyl,
- R<sup>2</sup> represents C<sub>1</sub>-C<sub>10</sub>-alkyl, C<sub>2</sub>-C<sub>10</sub>-alkenyl, or C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>2</sub>-C<sub>4</sub>-alkyl, each of which is optionally mono- to trisubstituted by fluorine or chlorine; represents cyclopentyl or cyclohexyl; or represents phenyl or benzyl, each of which is optionally mono- or disubstituted by fluorine, chlorine, cyano, nitro, methyl, ethyl, methoxy, trifluoromethyl, or trifluoromethoxy,
- R<sup>3</sup> represents methyl, ethyl, propyl, or isopropyl, each of which is optionally mono- to trisubstituted by fluorine or chlorine; or represents phenyl that is optionally monosubstituted by fluorine, chlorine, bromine, methyl, ethyl, isopropyl, tert-butyl, methoxy, ethoxy, isopropoxy, trifluoromethyl, trifluoromethoxy, cyano, or nitro;
- R<sup>4</sup> and R<sup>5</sup> independently of one another represent C<sub>1</sub>-C<sub>4</sub>-alkoxy or C<sub>1</sub>-C<sub>4</sub>-alkylthio; or represent phenyl, phenoxy, or phenylthio, each of which is optionally monosubstituted by fluorine, chlorine, bromine, nitro, cyano, methyl, methoxy, trifluoromethyl, or trifluoromethoxy, and
- R<sup>6</sup> and R<sup>7</sup> independently of one another represent hydrogen; represent C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>3</sub>-C<sub>6</sub>-cycloalkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>3</sub>-C<sub>4</sub>-alkenyl, or C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>2</sub>-C<sub>4</sub>-alkyl; represent phenyl that is optionally mono- or disubstituted by fluorine, chlorine, bromine, methyl, methoxy, or trifluoromethyl; or R<sup>6</sup> and R<sup>7</sup> together represent a C<sub>5</sub>-C<sub>6</sub>-alkylene radical in which one methylene group is optionally replaced by oxygen or sulphur.

Claim 26 (new): A compound of formula (I) according to Claim 22 in which

- W represents ethyl or methoxy,
- X represents chlorine, bromine, methyl, ethyl, propyl, methoxy, trifluoromethyl, difluoromethoxy, or cyano,
- Y is in the 4-position and represents hydrogen, chlorine or bromine,

- Z is in the 5-position and represents hydrogen,  
 A represents  $-\text{CH}_2-$ ,  $-\text{CHCH}_3-$ , or  $-\text{CH}_2\text{CH}_2-$ ,  
 B represents  $\text{C}_2\text{-C}_4$ -alkenyl, methoxy, ethoxy, propoxy, isopropoxy, butoxy, or isobutoxy; represents phenyl that is optionally mono- or disubstituted by fluorine, chlorine, bromine, methyl, methoxy, trifluoromethyl, trifluoromethoxy, cyano, or nitro; represents cyclopropyl, cyclopentyl, or cyclohexyl in which one methylene group is optionally replaced by oxygen,  
 D represents NH, and  
 G represents hydrogen (a) or represents one of the groups




in which

- L represents oxygen,  
 M represents oxygen or sulphur,  
 $\text{R}^1$  represents  $\text{C}_1\text{-C}_6$ -alkyl,  $\text{C}_2\text{-C}_6$ -alkenyl,  $\text{C}_1\text{-C}_2$ -alkoxy- $\text{C}_1\text{-C}_2$ -alkyl, or  $\text{C}_1\text{-C}_2$ -alkylthio- $\text{C}_1\text{-C}_2$ -alkyl, each of which is optionally mono- to trisubstituted by fluorine or chlorine; or represents cyclopropyl, cyclopentyl, or cyclohexyl; represents phenyl that is optionally monosubstituted by fluorine, chlorine, bromine, cyano, nitro, methyl, methoxy, trifluoromethyl, or trifluoromethoxy; represents furanyl, thienyl, or pyridyl, each of which is optionally monosubstituted by chlorine or methyl, and  
 $\text{R}^2$  represents  $\text{C}_1\text{-C}_8$ -alkyl,  $\text{C}_2\text{-C}_6$ -alkenyl or  $\text{C}_1\text{-C}_2$ -alkoxy- $\text{C}_2\text{-C}_3$ -alkyl; represents cyclopentyl or cyclohexyl; or represents phenyl or benzyl, each of which is optionally monosubstituted by fluorine, chlorine, cyano, nitro, methyl, methoxy, trifluoromethyl, or trifluoromethoxy.

Claim 27 (new): A compound of formula (I) according to Claim 22 in which

- W represents hydrogen, chlorine, bromine, or methyl,  
 X represents chlorine, bromine, methyl, ethyl, propyl, methoxy, trifluoromethyl, difluoromethoxy, or cyano,

Y is in the 4-position and represents the radical



Z represents hydrogen,

V<sup>1</sup> represents fluorine, chlorine, methyl, methoxy, trifluoromethyl, or trifluoromethoxy,


V<sup>2</sup> represents hydrogen, fluorine, chlorine, methyl, methoxy or trifluoromethyl,

A represents -CH<sub>2</sub>-, -CHCH<sub>3</sub>-, or -CH<sub>2</sub>-CH<sub>2</sub>-,

B represents C<sub>2</sub>-C<sub>4</sub>-alkenyl, methoxy, ethoxy, propoxy, isopropoxy, butoxy, or isobutoxy; or represents phenyl that is optionally mono- or disubstituted by fluorine, chlorine, bromine, methyl, methoxy, trifluoromethyl, trifluoromethoxy, cyano, or nitro,

D represents NH, and

G represents hydrogen (a) or represents one of the groups



in which

L represents oxygen,

M represents oxygen or sulphur,

R<sup>1</sup> represents C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>2</sub>-C<sub>6</sub>-alkenyl, C<sub>1</sub>-C<sub>2</sub>-alkoxy-C<sub>1</sub>-C<sub>2</sub>-alkyl, or C<sub>1</sub>-C<sub>2</sub>-alkylthio-C<sub>1</sub>-C<sub>2</sub>-alkyl, each of which is optionally mono- to trisubstituted by fluorine or chlorine; or represents cyclopropyl, cyclopentyl, or cyclohexyl; represents phenyl that is optionally monosubstituted by fluorine, chlorine, bromine, cyano, nitro, methyl, methoxy, trifluoromethyl, or trifluoromethoxy; or represents furanyl, thienyl, or pyridyl, each of which is optionally monosubstituted by chlorine or methyl, and

R<sup>2</sup> represents C<sub>1</sub>-C<sub>8</sub>-alkyl, C<sub>2</sub>-C<sub>6</sub>-alkenyl, or C<sub>1</sub>-C<sub>2</sub>-alkoxy-C<sub>2</sub>-C<sub>3</sub>-alkyl; represents cyclopentyl or cyclohexyl; or represents phenyl or benzyl,


each of which is optionally monosubstituted by fluorine, chlorine, cyano, nitro, methyl, methoxy, trifluoromethyl, or trifluoromethoxy.

Claim 28 (new): A compound of formula (I) according to Claim 22 in which

W represents hydrogen or methyl,

X represents chlorine or methyl,

Y is in the 5-position and represents the radical



Z is in the 4-position and represents hydrogen or methyl,

V<sup>1</sup> represents fluorine, chlorine, methyl, methoxy, trifluoromethyl, or trifluoromethoxy,


V<sup>2</sup> represents hydrogen, fluorine, chlorine, methyl, methoxy, or trifluoromethyl,

A represents -CH<sub>2</sub>-, -CHCH<sub>3</sub>-, or -CH<sub>2</sub>-CH<sub>2</sub>-,

B represents C<sub>2</sub>-C<sub>4</sub>-alkenyl, methoxy, ethoxy, propoxy, isopropoxy, butoxy, or isobutoxy; represents phenyl that is optionally mono- or disubstituted by fluorine, chlorine, bromine, methyl, methoxy, trifluoromethyl, trifluoromethoxy, cyano, or nitro,

D represents NH, and

G represents hydrogen (a) or represents one of the groups



in which

L represents oxygen,

M represents oxygen or sulphur,

R<sup>1</sup> represents C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>2</sub>-C<sub>6</sub>-alkenyl, C<sub>1</sub>-C<sub>2</sub>-alkoxy-C<sub>1</sub>-C<sub>2</sub>-alkyl, or C<sub>1</sub>-C<sub>2</sub>-alkylthio-C<sub>1</sub>-C<sub>2</sub>-alkyl, each of which is optionally mono- to trisubstituted by fluorine or chlorine; or represents cyclopropyl, cyclopentyl or cyclohexyl; represents phenyl that is optionally monosubstituted by fluorine, chlorine, bromine, cyano, nitro, methyl, methoxy, trifluoromethyl, or trifluoromethoxy; or represents furanyl,



thienyl, or pyridyl, each of which is optionally monosubstituted by chlorine or methyl, and

R<sup>2</sup> represents C<sub>1</sub>-C<sub>8</sub>-alkyl, C<sub>2</sub>-C<sub>6</sub>-alkenyl, or C<sub>1</sub>-C<sub>2</sub>-alkoxy-C<sub>2</sub>-C<sub>3</sub>-alkyl,; represents cyclopentyl or cyclohexyl; or represents phenyl or benzyl, each of which is optionally monosubstituted by fluorine, chlorine, cyano, nitro, methyl, methoxy, trifluoromethyl, or trifluoromethoxy.

Claim 29 (new): A compound of formula (I) according to Claim 22 in which

W represents hydrogen, methyl, chlorine, or bromine,

X represents chlorine, bromine, methyl, ethyl, methoxy, trifluoromethyl, difluoromethoxy, or cyano,

Y is in the 3- or 5-position and represents hydrogen, chlorine, bromine, or methyl,


Z is in the 4-position and represents hydrogen, chlorine, bromine, methyl, trifluoromethyl, or trifluoromethoxy,

A represents -CH<sub>2</sub>-, -CHCH<sub>3</sub>-, or -CH<sub>2</sub>-CH<sub>2</sub>-,

B represents C<sub>2</sub>-C<sub>4</sub>-alkenyl, methoxy, ethoxy, propoxy, isopropoxy, butoxy, or isobutoxy; represents phenyl that is optionally mono- or disubstituted by fluorine, chlorine, bromine, methyl, methoxy, trifluoromethyl, trifluoromethoxy, cyano, or nitro; represents cyclopropyl; represents cyclopentyl or cyclohexyl in which one methylene group is optionally replaced by oxygen,

D represents NH, and

G represents hydrogen (a) or represents one of the groups



in which

L represents oxygen,

M represents oxygen or sulphur,

R<sup>1</sup> represents C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>2</sub>-C<sub>6</sub>-alkenyl, C<sub>1</sub>-C<sub>2</sub>-alkoxy-C<sub>1</sub>-C<sub>2</sub>-alkyl, or C<sub>1</sub>-C<sub>2</sub>-alkylthio-C<sub>1</sub>-C<sub>2</sub>-alkyl, each of which is optionally mono- to trisubstituted by fluorine or chlorine; or represents cyclopropyl,

cyclopentyl, or cyclohexyl; represents phenyl that is optionally monosubstituted by fluorine, chlorine, bromine, cyano, nitro, methyl, methoxy, trifluoromethyl, or trifluoromethoxy; or represents furanyl, thienyl, or pyridyl, each of which is optionally monosubstituted by chlorine or methyl, and

R<sup>2</sup> represents C<sub>1</sub>-C<sub>10</sub>-alkyl, C<sub>2</sub>-C<sub>10</sub>-alkenyl, or C<sub>1</sub>-C<sub>2</sub>-alkoxy-C<sub>2</sub>-C<sub>4</sub>-alkyl; represents cyclopentyl or cyclohexyl; or represents phenyl or benzyl, each of which is optionally monosubstituted by fluorine, chlorine, cyano, nitro, methyl, methoxy, trifluoromethyl, or trifluoromethoxy.


Claim 30 (new): A compound of formula (I) according to Claim 22 in which

W represents hydrogen,  
X represents methyl or chlorine,  
Y is in the 5-position and represents chlorine-substituted phenyl,  
Z represents hydrogen,  
A represents -CH<sub>2</sub>-,  
B represents chlorine-substituted phenyl,  
D represents NH, and  
G represents hydrogen.

Claim 31 (new): A compound of formula (I) according to Claim 22 in which

W represents hydrogen or methyl,  
X represents methyl or chlorine,  
Y is in the 3- or 5-position and represents hydrogen or methyl,  
Z is in the 4-position and represents hydrogen, methyl, or chlorine,  
A represents -CH<sub>2</sub>- or -CH<sub>2</sub>-CH<sub>2</sub>-,  
B represents methoxy, ethoxy, isopropyl, cyclopentyl in which optionally one methylene group is replaced by oxygen, cyclohexyl, or ethenyl; or represents optionally chlorine-substituted phenyl,  
D represents NH, and

G represents hydrogen (a) or represents one of the groups




in which

R<sup>1</sup> represents C<sub>1</sub>-C<sub>6</sub>-alkyl, and .


R<sup>2</sup> represents C<sub>1</sub>-C<sub>6</sub>-alkyl.

Claim 32 (new): A process for preparing compounds of formula (I) according to Claim 22 comprising

(A) for compounds of formula (I-1-a),



in which A, B, W, X, Y, and Z are as defined for formula (I) in Claim 22, intramolecularly condensing a compound of formula (II),



in which


A, B, W, X, Y, and Z are as defined for formula (I) in Claim 22, and

R<sup>8</sup> represents alkyl,


in the presence of a diluent and in the presence of a base,

or

(B) for compounds of formula (I-2-a),



in which A, B, W, X, Y, and Z are as defined for formula (I) in Claim 22,  
intramolecularly condensing a compound of formula (III),





in which A, B, W, X, Y, Z and R<sup>8</sup> are as defined for formula (I) in  
Claim 22,

in the presence of a diluent and in the presence of a base,

or

(C) for compounds of formulas (I-1-b) to (I-2-b)



in which R<sup>1</sup>, A, B, W, X, Y, and Z are as defined for formula (I) in  
Claim 22,

reacting a compound of formulas (I-1-a) to (I-2-a) in which A, B, W, X, Y and Z  
are as defined for formula (I) in Claim 22,

(α) with a compound of formula (IV)



in which

$\text{R}^1$  is as defined for formula (I) in Claim 22, and  
 $\text{Hal}$  represents halogen

or



(β) with a carboxylic anhydride of formula (V)



in which  $\text{R}^1$  is as defined for formula (I) in Claim 22,  
 optionally in the presence of a diluent and optionally in the presence of an  
 acid binder;

or

(D) for compounds of formulas (I-1-c) to (I-2-c)



in which

$\text{R}^2$ , A, B, W, M, X, Y, and Z are as defined for formula (I) in Claim 22,  
 and

L represents oxygen,

reacting a compound of formulas (I-1-a) to (I-2-a) in which A, B, W, X, Y, and  
 Z are as defined for formula (I) in Claim 22,



with a chloroformic ester or chloroformic thioester of formula (VI)



in which  $\text{R}^2$  and M are as defined for formula (I) in Claim 22,  
optionally in the presence of a diluent and optionally in the presence of an  
acid binder;

or

(E) for compounds of formulas (I-1-c) to (I-2-c)




in which

$\text{R}^2$ , A, B, W, M, X, Y, and Z are as defined for formula (I) in Claim 22,  
and

L represents sulphur,

reacting a compound of formulas (I-1-a) to (I-2-a) in which A, B, W, X, Y, and  
Z are as defined for formula (I) in Claim 22,



with a chloromonothioformic ester or chlorodithioformic ester of formula (VII)



in which M and  $\text{R}^2$  are as defined for formula (I) in Claim 22,  
optionally in the presence of a diluent and optionally in the presence of an  
acid binder;

or

(F) for compounds of formulas (I-1-d) to (I-2-d)



in which R<sup>3</sup>, A, B, W, X, Y, and Z are as defined for formula (I) in Claim 22,


reacting a compound of formulas (I-1-a) to (I-2-a) in which A, B, W, X, Y, and Z are as defined for formula (I) in Claim 22,  
with a sulphonyl chloride of formula (VIII),




in which R<sup>3</sup> is as defined for formula (I) in Claim 22,  
optionally in the presence of a diluent and optionally in the presence of an acid binder;

or

(G) for compounds of formulas (I-1-e) to (I-2-e)






in which L, R<sup>4</sup>, R<sup>5</sup>, A, B, W, X, Y, and Z are as defined for formula (I) in Claim 22,

reacting a compound of formulas (I-1-a) to (I-2-a) in which A, B, W, X, Y and Z are as defined for formula (I) in Claim 22,

with a phosphorus compound of formula (IX),



in which



L, R<sup>4</sup>, and R<sup>5</sup> are as defined for formula (I) in Claim 22, and

Hal represents halogen,

optionally in the presence of a diluent and optionally in the presence of an acid binder,

or

(H) for compounds of formulas (I-1-f) to (I-2-f)



in which E, A, B, W, X, Y, and Z are as defined for formula (I) in Claim 22,






(α) with an isocyanate or isothiocyanate of formula (XII),




in which  $R^6$  and  $L$  are as defined for formula (I) in Claim 22,  
optionally in the presence of a diluent and optionally in the presence of  
a catalyst, or

(β) with a carbamoyl chloride or thiocarbamoyl chloride of formula (XIII),



in which  $L$ ,  $R^6$ , and  $R^7$  are as defined for formula (I) in Claim 22,  
optionally in the presence of a diluent and optionally in the presence of an  
acid binder.

Claim 33 (new): A compound of formula (II)



in which

- (a)  $W$  represents alkyl or alkoxy,  
 $X$  represents halogen, alkyl, alkoxy, haloalkyl, haloalkoxy, or cyano,  
 $Y$  is in the 4-position and represents hydrogen, halogen, cyano, or  
haloalkyl, and  
 $Z$  represents hydrogen,

or

- (b)  $W$  represents hydrogen, halogen, or alkyl,  
 $X$  represents halogen, alkyl, alkoxy, haloalkyl, haloalkoxy, or cyano,  
 $Y$  is in the 4-position and represents optionally substituted phenyl, and  
 $Z$  represents hydrogen,

or

- (c) W represents hydrogen or alkyl,  
 X represents halogen, alkyl, alkoxy, haloalkyl, haloalkoxy, or cyano,  
 Y is in the 5-position and represents optionally substituted phenyl, and  
 Z is in the 4-position and represents hydrogen, alkyl, or halogen,


or

- (d) W represents hydrogen, methyl, propyl, isopropyl, or halogen,  
 X represents halogen, alkyl, alkoxy, haloalkyl, haloalkoxy, or cyano,  
 Y is in the 3- or 5-position and represents hydrogen, halogen or alkyl, and  
 Z is in the 4-position and represents hydrogen, halogen, alkyl, haloalkyl, cyano, or haloalkoxy,

and

- A represents an optionally substituted alkanediyl group; or represents cycloalkyl that is optionally substituted and/or optionally interrupted by a heteroatom,  
 B represents optionally substituted alkenyl, alkoxy, alkoxyalkyloxy, phenyl, or hetaryl; or represents cycloalkyl that is optionally substituted and/or optionally interrupted by one or more heteroatoms and/or C=O, and  
 R<sup>8</sup> represents alkyl.

Claim 34 (new): A compound of formula (XVI)



in which

- (a) W represents alkyl or alkoxy,  
 X represents halogen, alkyl, alkoxy, haloalkyl, haloalkoxy, or cyano,  
 Y is in the 4-position and represents hydrogen, halogen, cyano, or haloalkyl, and  
 Z represents hydrogen,

or

- (b) W represents hydrogen, halogen, or alkyl,  
 X represents halogen, alkyl, alkoxy, haloalkyl, haloalkoxy, or cyano,

Y is in the 4-position and represents optionally substituted phenyl, and  
 Z represents hydrogen,

or

(c) W represents hydrogen or alkyl,  
 X represents halogen, alkyl, alkoxy, haloalkyl, haloalkoxy, or cyano,  
 Y is in the 5-position and represents optionally substituted phenyl, and  
 Z is in the 4-position and represents hydrogen, alkyl, or halogen,

or


(d) W represents hydrogen, methyl, propyl, isopropyl, or halogen,  
 X represents halogen, alkyl, alkoxy, haloalkyl, haloalkoxy, or cyano,  
 Y is in the 3- or 5-position and represents hydrogen, halogen or alkyl, and  
 Z is in the 4-position and represents hydrogen, halogen, alkyl, haloalkyl, cyano, or haloalkoxy,

and

A represents an optionally substituted alkanediyl group; or represents cycloalkyl that is optionally substituted and/or optionally interrupted by a heteroatom, and

B represents optionally substituted alkenyl, alkoxy, alkoxyalkyloxy, phenyl, or hetaryl; or represents cycloalkyl that is optionally substituted and/or optionally interrupted by one or more heteroatoms and/or C=O.

Claim 35 (new): A compound of formula (XIX)




in which

(a) W represents alkyl or alkoxy,  
 X represents halogen, alkyl, alkoxy, haloalkyl, haloalkoxy, or cyano,

- Y is in the 4-position and represents hydrogen, halogen, cyano, or haloalkyl, and
- Z represents hydrogen,
- or
- (b) W represents hydrogen, halogen, or alkyl,
- X represents halogen, alkyl, alkoxy, haloalkyl, haloalkoxy, or cyano,
- Y is in the 4-position and represents optionally substituted phenyl, and
- Z represents hydrogen,
- or
- (c) W represents hydrogen or alkyl,
- X represents halogen, alkyl, alkoxy, haloalkyl, haloalkoxy, or cyano,
- Y is in the 5-position and represents optionally substituted phenyl, and
- Z is in the 4-position and represents hydrogen, alkyl, or halogen,
- or
- (d) W represents hydrogen, methyl, propyl, isopropyl, or halogen,
- X represents halogen, alkyl, alkoxy, haloalkyl, haloalkoxy, or cyano,
- Y is in the 3- or 5-position and represents hydrogen, halogen or alkyl, and
- Z is in the 4-position and represents hydrogen, halogen, alkyl, haloalkyl, cyano, or haloalkoxy,
- and
- A represents an optionally substituted alkanediyl group; or represents cycloalkyl that is optionally substituted and/or optionally interrupted by a heteroatom, and
- B represents optionally substituted alkenyl, alkoxy, alkoxyalkoxy, phenyl, or hetaryl; or represents cycloalkyl that is optionally substituted and/or optionally interrupted by one or more heteroatoms and/or C=O.


Claim 36 (new): A compound of formula (XVIII)



in which

- A represents an optionally substituted alkanediyl group; or represents cycloalkyl that is optionally substituted and/or optionally interrupted by a heteroatom, and
- B represents optionally substituted alkenyl, alkoxy, alkoxyalkyloxy, phenyl, or hetaryl; or represents cycloalkyl that is optionally substituted and/or optionally interrupted by one or more heteroatoms and/or C=O.

Claim 37 (new): A compound of formula (III),



in which

- (a) W represents alkyl or alkoxy,  
 X represents halogen, alkyl, alkoxy, haloalkyl, haloalkoxy, or cyano,  
 Y is in the 4-position and represents hydrogen, halogen, cyano, or haloalkyl, and  
 Z represents hydrogen,
- or
- (b) W represents hydrogen, halogen, or alkyl,  
 X represents halogen, alkyl, alkoxy, haloalkyl, haloalkoxy, or cyano,  
 Y is in the 4-position and represents optionally substituted phenyl, and  
 Z represents hydrogen,

or

- (c) W represents hydrogen or alkyl,  
X represents halogen, alkyl, alkoxy, haloalkyl, haloalkoxy, or cyano,  
Y is in the 5-position and represents optionally substituted phenyl, and  
Z is in the 4-position and represents hydrogen, alkyl, or halogen,

or

- (d) W represents hydrogen, methyl, propyl, isopropyl, or halogen,  
X represents halogen, alkyl, alkoxy, haloalkyl, haloalkoxy, or cyano,  
Y is in the 3- or 5-position and represents hydrogen, halogen or alkyl, and  
Z is in the 4-position and represents hydrogen, halogen, alkyl, haloalkyl, cyano, or haloalkoxy,

and

- A represents an optionally substituted alkanediyl group; or represents cycloalkyl that is optionally substituted and/or optionally interrupted by a heteroatom,  
B represents optionally substituted alkenyl, alkoxy, alkoxyalkyloxy, phenyl, or hetaryl; or represents cycloalkyl that is optionally substituted and/or optionally interrupted by one or more heteroatoms and/or C=O, and  
R<sup>8</sup> represents alkyl.

Claim 38 (new): A pesticide comprising one or more compounds of formula (I) according to Claim 22 and one or more extenders and/or surfactants.

Claim 39 (new): A method for controlling animal pests comprising allowing an effective amount of one or more compounds of formula (I) according to Claim 22 to act on the pests and/or their habitat.

Claim 40 (new): A herbicide comprising one or more compounds of formula (I) according to Claim 22 and one or more extenders and/or surfactants.

Claim 41 (new): A method for controlling unwanted vegetation comprising allowing an effective amount of one or more compounds of formula (I) according to Claim 22 to act on unwanted vegetation and/or their habitat.

Claim 42 (new): A fungicide comprising one or more compounds of formula (I) according to Claim 22 and one or more extenders and/or surfactants.

Claim 43 (new): A method for controlling fungi comprising allowing an effective amount of one or more compounds of formula (I) according to Claim 22 to act on fungi and/or their habitat.

Claim 44 (new): A process for preparing a pesticide, herbicide, or fungicide comprising mixing one or more compounds of formula (I) according to Claim 22 with one or more extenders and/or surfactants. --